PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 6: WO 99/00117 (11) International Publication Number: A2 A61K 31/00 (43) International Publication Date: 7 January 1999 (07.01.99) PCT/US98/13387 (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, (21) International Application Number: BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, (22) International Filing Date: 26 June 1998 (26.06.98) LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO (30) Priority Data: US patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian 27 June 1997 (27.06.97) 08/883,656 patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, (63) Related by Continuation (CON) or Continuation-in-Part CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). (CIP) to Earlier Application 08/883,656 (CIP) US 27 June 1997 (27.06.97) Filed on **Published** Without international search report and to be republished (71) Applicant (for all designated States except US): ONTOGENY, upon receipt of that report. INC. [US/US]; 45 Moulton Street, Cambridge, MA 02138 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): MAHANTHAPPA, Nagesh, K. [US/US]; 240 Norfolk Street, Cambridge, MA 02139 (74) Agents: VINCENT, Matthew, P. et al.; Foley, Hoag & Eliot LLP, One Post Office Square, Boston, MA 02109 (US). (54) Title: NEUROPROTECTIVE METHODS AND REAGENTS (57) Abstract One aspect of the present application relates to a method for limiting damage to neuronal cells by ischemic or epoxic conditions, e.g.,

One aspect of the present application relates to a method for limiting damage to neuronal cells by ischemic or epoxic conditions, e.g., such as may be manifest by a reduction in brain infarct volume, by administering to an individual a hedgehog therapeutic or ptc therapeutic in an amount effective for reducing cerabral infarct volume.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
	Amenia	FI.	Finland	LT	Lithuania	SK	Slovakia
AM AT	Ametria	FR.	France	LU	Luxembourg	SN	Scnegal
	·	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑÜ	Australia	GB	United Kingdom	MC	Monaco	TD	Ched
AZ	Azerbaijan	GE	Georgia	MD	Republic of Moldova	TG	Togo
BA	Bosnia and Herzegovina	_	Ghana	MG	Madagascar	TJ	Tajikistan
BB	Barbados	GH		MK	The former Yugoslav	TM	Turkmenistan
BR	Belgium	GN	Guinea	NAM	Republic of Macedonia	TR	Turkey
BF	Burkina Paso	GR	Greece	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria	HU	Hungary	MN	-:	UA.	Ukraine
BJ	Benin	IB.	Ireland		Mongolia	UG	Uganda
BR	Brazil	IL.	Israel	MR	Mauritania	US	United States of America
BY	Belarus	IS	Iceland	MW	Malawi	UZ.	United States of Attreates
CA	Canada	IT	Italy	MX	Mexico		
CE*	Central African Republic	ĴΡ	Japan	NB	Niger	VN	Viet Nam
CG	Congo	KR	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
α	Côte d'Ivoire	KP	Democratic People's	NZ	New Zeahand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
cu	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	u	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
RR.	Estonia	LR	Liberia	SG	Singapore		

We claim:

35

- A method for limiting damage to neuronal cells by ischemic or epoxic conditions, 1. comprising administering to an individual a ptc therapeutic in an amount effective for 5 reducing cerebral infarct volume relative to the absence of administeration of the ptc therapeutic.
- A method for protecting cerebral tissue of a mammal against the repercussions of ischemia 2. which comprises administering to the mammal in need thereof a therapeutically effective amount of the ptc therapeutic. 10
 - A method for the treatment of cerebral infarctions which comprises administering to a 3. patient in need thereof a therapeutically effective amount of the ptc therapeutic.
 - A method for the treatment of cerebral ischemia which comprises administering to a patient 4. in need thereof a therapeutically effective amount of the ptc therapeutic.
- A method for the treatment of stroke which comprises administering to a patient in need 15 5. thereof a therapeutically effective amount of the ptc therapeutic.
 - A method for the treatment of transient ischemia attack which comprises administering to a 6. patient in need thereof a therapeutically effective amount of the ptc therapeutic.
- The method of any of claims 1-6, wherein the ptc therapeutic binds to patched and mimics 7. hedgehog-mediated patched signal transduction. 20
 - The method of claim 7, wherein the ptc therapeutic is a small organic molecule. 8.
 - The method of claim 7, wherein the binding of the ptc therapeutic to patched results in 9. upregulation of patched and/or gli expression.
- The method of any of claims 1-6, wherein the ptc therapeutic is a small organic molecule 10. which interacts with neuronal cells to mimic hedgehog-mediated patched signal 25 transduction.
 - 11. The method of any of claims 1-6, wherein the ptc therapeutic mimics hedgehog-mediated patched signal transduction by altering the localization, protein-protein binding and/or enzymatic activity of an intracellular protein involved in a patched signal pathway.
- The method of any of claims 1-6, wherein the ptc therapeutic alters the level of expression 30 12. of a hedgehog protein, a patched protein or a protein involved in the intracellular signal transduction pathway of patched.
 - 13. The method of claim 12, wherein the ptc therapeutic is an antisense construct which inhibits the expression of a protein which is involved in the signal transduction pathway of patched and the expression of which antagonizes hedgehog-mediated signals.

- 14. The method of claim 13, wherein the antisense construct is an oligonucleotide of about 20-30 nucleotides in length and having a GC content of at least 50 percent.

5'-TTCCGATGACCGGCCTTTCGCGGTGA; and

5'-GTGCACGGAAAGGTGCAGGCCACACT

- 16. The method of claims 12, wherein the ptc therapeutic is a small organic molecule which binds to patched and regulates patched-dependent gene expression.
- 17. The method of claim 11, wherein the ptc therapeutic is an inhibitor of protein kinase A.
- 10 18. The method of claim 17, wherein the PKA inhibitor is a 5-isoquinolinesulfonamide
 - 19. The method of claim 18, wherein the PKA inhibitor is represented in the general formula:

wherein,

25

5

Parmit a lower alkyl, a lower alkenyl, a lower alkynyl, a carbonyl (such as a carboxyl, an ester, a formate, or a ketone), a thiocarbonyl (such as a thioester, a thioacetate, or a thioformate), an amino, an acylamino, an amido, a cyano, a nitro, an azido, a sulfate, a sulfonate, a sulfonamido, -(CH₂)_m-R₈, -(CH₂)_m-OH, -(CH₂)_m-O-lower alkyl, -(CH₂)_m-O-lower alkenyl, -(CH₂)_n-O-(CH₂)_m-S-lower alkyl, -(CH₂)_m-S-lower alkenyl, -(CH₂)_m-S-(CH₂

R₁ and R₂ taken together with N form a heterocycle (substituted or unsubstituted);

R₃ is absent or represents one or more substitutions to the isoquinoline ring such as a lower alkyl, a lower alkenyl, a lower alkynyl, a carbonyl (such as a carboxyl, an ester, a formate, or a ketone), a thiocarbonyl (such as a thioester, a thioacetate, or a thioformate), an amino, an acylamino, an amido, a cyano, a nitro, an azido, a sulfate, a sulfonate, a sulfonamido, -(CH₂)_m-

WO 99/00117 PCT/US98/13387

-100-

$$\begin{split} &R_{8}, \ \ \text{-}(CH_{2})_{m}\text{-}OH, \ \ \text{-}(CH_{2})_{m}\text{-}O-lower \ \ alkyl, \ \ \text{-}(CH_{2})_{m}\text{-}O-lower \ \ alkenyl, \ \ \text{-}(CH_{2})_{m}\text{-}O-(CH_{2})_{m}\text{-}R_{8}, \\ &\text{-}(CH_{2})_{m}\text{-}SH, \ \text{-}(CH_{2})_{m}\text{-}S-lower \ \ alkenyl, \ \ \text{-}(CH_{2})_{m}\text{-}S-(CH_{2})_{m}\text{-}R_{8}; \end{split}$$

R₈ represents a substituted or unsubstituted aryl, aralkyl, cycloalkyl, cycloalkenyl, or heterocycle; and

- n and m are independently for each occurrence zero or an integer in the range of 1 to 6.
 - 20. The method of claim 17, wherein the PKA inhibitor is cyclic AMP analog.
 - 21. The method of claim 17, wherein the PKA inhibitor is selected from the group consisting of N-[2-((p-bromocinnamyl)amino)ethyl]-5-isoquinolinesulfonamide, 1-(5-isoquinolinesulfonyl)-2-methylpiperazine, KT5720, 8-bromo-cAMP, dibutyryl-cAMP and PKA Heat Stable Inhibitor isoform α.
 - 22. The method of claim 5, wherein the stroke is a thrombotic stroke.
 - 23. The method of claim 5, wherein the stroke is an embolic stroke

10

- 24. The method of claim 1, wherein the hypoxic conditions result in cerebral hypoxia.
- 25. The method of claim 1, wherein the conditions result in progressive loss of neurons due to oxygen deprivation
 - 26. The method of any of claims 1-6, wherein patient is being treated prophylactically.
 - 27. The method of claim 1, wherein the patient is hypotensive.
 - 28. The method of claim 1, wherein the conditions result in progressive loss of neurons due to oxygen deprivation
- 29. The method of any of claims 1-6, wherein the *ptc* therapeutic is administered as part of a therapy including administering one or more of an anticoagulation, an antiplatelet agent, a thrombin inhibitors, and/or a thrombolytic agent.
 - 30. The method of any of claims 1-6, wherein the *ptc* therapeutic is administered as part of a therapy including vascular surgery.
- 25 31. The method of claim 30, wherein the vascular surgery comprises carotid endarterectomy.
 - 32. The method of any of claims 1-6, wherein treatment of the patient with the *ptc* therapeutic results in atleast a 25% reduction in cerebral infarct volumes relative to absence of treatment with the *ptc* therapeutic.
- The method of claim 32, wherein treatment of the patient with the *ptc* therapeutic results in atleast a 50% reduction in cerebral infarct volumes relative to absence of treatment with the *ptc* therapeutic.


- 34. The method of claim 32, wherein treatment of the patient with the ptc therapeutic results in atleast a 70% reduction in cerebral infarct volumes relative to absence of treatment with the ptc therapeutic.
- A therapeutic preparation of a small molecule antagonist of patched, which patched antagonist is **35**. provided in a pharmaceutically acceptable carrier and in an amount sufficient to provide 5 protection against neuronal cell death under ischemic and/or hypoxic conditions.
 - The preparation of claim 35, which patched antagonist binds to patched. 36.

10

- The preparation of claim 35, wherein the patched antagonist is provided in an amount sufficient 37. to produce, upon a dosage regimen of 7 days, at least a 70% decrease in infarct volume in an MCAO model relative to the absence of the patched antagonist.
- The preparation of claim 37, wherein the patched antagonist is provided in an amount sufficient 38. to produce, upon a dosage regimen of 3 days, at least a 70% decrease in infarct volume in an MCAO model relative to the absence of the patched antagonist.
- A method for limiting damage to neuronal cells by ischemic or epoxic conditions, comprising 39. administering to a patient a gene activation construct which recombines with a genomic 15 hedgehog gene of the patient to provide a heterologous transcriptional regulatory sequence operatively linked to a coding sequence of the hedgehog gene.

1/1

Figure 1



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 99/00117 (11) International Publication Number: **A3** A61K 31/47 (43) International Publication Date: 7 January 1999 (07.01.99) (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, PCT/US98/13387 (21) International Application Number: BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, (22) International Filing Date: 26 June 1998 (26.06.98) LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO (30) Priority Data: US patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian 27 June 1997 (27.06.97) 08/883,656 patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, (63) Related by Continuation (CON) or Continuation-in-Part IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). (CIP) to Earlier Application 08/883,656 (CIP) US Filed on 27 June 1997 (27.06.97) Published With international search report. (71) Applicant (for all designated States except US): ONTOGENY, Before the expiration of the time limit for amending the claims INC. [US/US]; 45 Moulton Street, Cambridge, MA 02138 and to be republished in the event of the receipt of amendments. (US). (88) Date of publication of the international search report: (72) Inventor; and 1 April 1999 (01.04.99) (75) Inventor/Applicant (for US only): MAHANTHAPPA, Nagesh, K. [US/US]; 240 Norfolk Street, Cambridge, MA 02139 (74) Agents: VINCENT, Matthew, P. et al.; Foley, Hoag & Eliot LLP, One Post Office Square, Boston, MA 02109 (US). (54) Title: NEUROPROTECTIVE METHODS AND REAGENTS

(57) Abstract

One aspect of the present application relates to a method for limiting damage to neuronal cells by ischemic or epoxic conditions, e.g., such as may be manifest by a reduction in brain infarct volume, by administering to an individual a hedgehog therapeutic or ptc therapeutic in an amount effective for reducing cerabral infarct volume.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad ·
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation	•	
DE	Germany	Lĭ	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

onal Application No PCT/US 98/13387

		' ~	1/03 90/1330/
A. CLASSI IPC 6	IFICATION OF SUBJECT MATTER A61K31/47		
According to	o International Patent Classification (IPC) or to both national cl	assification and IPC	
B. FIELDS	SEARCHED		
Minimum do IPC 6	ocumentation searched (classification system followed by clas $A61K$	sification symbols)	
Documenta	ition searched other than minimum documentation to the exten	t that such documents are included in	n the fields searched
Electronic d	data base consulted during the international search (name of d	ata base and, where practical, searc	th terms used)
0.000	ENTS CONCIDERED TO BE DELEVANY		
Category '	ENTS CONSIDERED TO BE RELEVANT	the relevant pressure	Relevant to claim No
Jalegory .	Citation of document, with indication, where appropriate, of	me relevant passages	nelevant to claim No.
X	US 5 519 035 A (MAIESE KENNET) 21 May 1996	H ET AL)	1-12, 16-19, 21-28, 30-38
į	see abstract see column 2, line 20-34; clae examples 1,2	ims 1-5;	
X	SATOH ET AL.: "Neuroprotective of a protein kinase inhibitor Ischemia-induced neuronal dama and gerbils" BRITISH JOURNAL OF PHARMACOLOG vol. 118, no. 7, 1996, pages XP002092077 see abstract	against age in rats GY,	1-12, 16-19, 22-28, 30-38
		,	
		-/	
X Fun	her documents are listed in the continuation of box C.	X Patent family member	ers are listed in annex.
Special ca	ategories of cited documents :	"T" later document published	after the international filing date
consid	ent defining the general state of the lart which is not dered to be of particular relevance document but published on or after the International	cited to understand the p invention	n conflict with the application but brinciple or theory underlying the evance; the claimed invention
which	date ant which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified)	cannot be considered no involve an inventive step "Y" document of particular rel	vel or cannot be considered to when the document is taken alone evance; the claimed invention involve an inventive step when the
other i "P" docume	ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	document is combined w	rith one or more other such docu- n being obvious to a person skilled
Date of the	actual completion of the international search	Date of mailing of the inte	ernational search report
3	February 1999	18/02/1999	
Name and r	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	A. Jakobs	

Inter onal Application No
PCT/US 98/13387

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PC1/US 98/1338/
ategory '	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	MAIESE ET AL.: "Protein Kinases Modulate the Sensitivity of Hippocampal Neurons to Nitric Oxide Toxicity and Anoxia" JOURNAL OF NEUROSCIENCE RESEARCH,	1-12, 16-28, 30-38
	vol. 36, no. 1, 1993, pages 77-87, XP002092078 see abstract see page 79, column 1, paragraph 1 - page 81, column 2, paragraph 2; figure 1 see page 83, column 2, paragraph 2 - page 84, column 1, paragraph 3	
X	PHILLIS ET AL.: "Mechanism of glutamate and aspartate release in the ischemic rat cerebral cortex" BRAIN RESEARCH, vol. 730, no. 1-2, 1996, pages 150-164, XP002092079 see abstract; figure 7; tables 2,3	1-12, 16-28, 30-38
X	EP 0 187 371 A (ASAHI CHEMICAL IND ;HIDAKA HIROYOSHI (JP)) 16 July 1986 see abstract	1-12, 16-19, 22-28, 30-38
	see page 2, line 1-10; example 4 see page 8, line 6 - page 14, line 4	
Ρ,Χ	WO 98 12326 A (CHUANG PAO TIEN ;HARVARD COLLEGE (US); MCMAHON ANDREW P (US)) 26 March 1998 see page 3, line 15 - page 9, line 10; claim 13	1-14,40
	·	

I. .national application No.

PCT/US 98/13387

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: 1-34, 40 because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claims 1-34, 40 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. X Claims Nos.: — because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: See FURTHER INFORMATION SHEET PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking(Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA	A/ 210							
In view of the large number of compounds, which are defined by the general definition(s)/formulae used in claims 1-20, 22-40, the search had to be restricted for economic reasons. The search was limited to the compounds for which pharmacological data was given and/or the compounds mentioned in the claims, and to the general idea underlying the application. (See Guidelines, chapter III, paragraph 2.3).								
•								
•								

information on patent family members

Inter onal Application No PCT/US 98/13387

Patent document cited in search report		Publication date	Patent family member(s)		Publication date		
US 55190	35	A	21-05-1996	NONE			L
EP 01873	71	Α	16-07-1986	JP	1795364	С	28-10-1993
				JP	5003851	В	18-01-1993
				JP	61227581	Α	09-10-1986
				JP	1789975	С	29-09-1993
				JP	4081986	В	25-12-1992
				JP	61152658	Α	11-07-1986
				US	4678783	Α	07-07-1987
WO 98123	26	Α	26-03-1998	AU	4489297	A	14-04-1998